

Adaptive simulation of elasto-capillary fluid-solid interaction

E. Harald van Brummelen^{*,†}, Mahnaz Shokrpour-Roudbari^{†,‡}, Tristan H.B. Demont[†], Gertjan van Zwieten[§], Jacco H. Snoeijer[¶], Herman M.A. Wijshoff[‡]

[†]Eindhoven University of Technology, Department of Mechanical Engineering, Den Dolech 2, 5612 AZ Eindhoven, The Netherlands

E-mail: e.h.v.brummelen,m.shokrpour.roudbari,t.h.b.demont@tue.nl

[§]Evalf Computing, Burgwal 45, 2611 GG Delft, The Netherlands

E-mail: gertjanvanzwieten@evalf.nl

[¶]University of Twente, Physics of Fluids, Drienerlolaan 5, 7522NB Enschede, The Netherlands

E-mail: j.h.snoeijer@utwente.nl

[‡]Océ Technologies B.V., P.O. Box 101, 5900 MA Venlo, The Netherlands

E-mail: herman.wijshoff@oce.com

ABSTRACT

Binary fluids are fluids that comprise two constituents, viz. two phases of the same fluid (gas or liquid) or two distinct species (e.g. water and air). A distinctive feature of binary-fluids is the presence of a fluid-fluid interface that separates the two components. This interface generally carries surface energy and accordingly it introduces capillary forces. The interaction of a binary-fluid with a deformable solid engenders a variety of intricate physical phenomena, collectively referred to as elasto-capillarity. The solid-fluid interface also carries surface energy and, generally, this surface energy is distinct for the two components of the binary fluid. Consequently, the binary-fluid-solid problem will exhibit wetting behavior [4, 5]. Elasto-capillarity underlies miscellaneous complex physical phenomena such as durotaxis [10], i.e. seemingly spontaneous migration of liquid droplets on solid substrates with an elasticity gradient; capillary origami [6], i.e. large-scale solid deformations by capillary forces. Binary-fluid-solid interaction is moreover of fundamental technological relevance in a wide variety of high-tech industrial applications, such as inkjet printing and additive manufacturing.

In this presentation, we consider a computational model for elasto-capillary fluid-solid interaction based on a diffuse-interface model for the binary fluid and a hyperelastic-material model for the solid. The diffuse-interface binary-fluid model is described by the incompressible Navier-Stokes-Cahn-Hilliard equations [8] with preferential-wetting boundary conditions at the fluid-solid interface. To resolve the fluid-fluid interface and the localized displacements in the solid, we apply adaptive hierarchical spline approximations. A monolithic solution scheme is applied to enable robust solution of the coupled FSI problem. We consider several aspects of the formulation and of the simulation techniques. To validate the presented complex-fluid-solid-interaction model, we present numerical results and conduct a comparison to experimental data for a droplet on a soft substrate [2, 1, 3, 9, 7].

REFERENCES

- [1] E.H. van Brummelen, H. Shokrpour Roudbari, and G.J. van Zwieten. Elasto-capillarity simulations based on the Navier-Stokes-Cahn-Hilliard equations. In *Advances in Computational Fluid-Structure Interaction and Flow Simulation*, Modeling and Simulation in Science, Engineering and Technology, pages 451–462. Birkhäuser, 2016.
- [2] E.H. van Brummelen, M. Shokrpour Roudbari, G. Simsek, and K.G. van der Zee. Binary-fluid-solid interaction based on the Navier–Stokes–Cahn–Hilliard equations. In S. Frei,

- B. Holm, T. Richter, T. Wick, and H. Yang, editors, *Fluid Structure Interaction*, volume 20 of *Radon Series on Computational and Applied Mathematics*, pages 283–328. De Gruyter, 2017.
- [3] J. Bueno, H. Casquero, Y. Bazilevs, and H. Gomez. Three-dimensional dynamic simulation of elastocapillarity. *Meccanica*, pages 1–17, 2017.
- [4] P.-G. de Gennes, F. Brochard-Wyart, and D. Queré. *Capillarity and Wetting Phenomena: Drops, Bubbles, Pearls, Waves*. Springer, 2004.
- [5] P.G. de Gennes. Wetting: statics and dynamics. *Rev. Mod. Phys.*, 57:827–863, 1985.
- [6] C. Py, P. Reverdy, L. Doppler, J. Bico, B. Roman, and C.N. Baroud. Capillary origami: Spontaneous wrapping of a droplet with an elastic sheet. *Phys. Rev. Lett.*, 98:156103, Apr 2007.
- [7] M. Shokrpour Roudbari and E.H. van Brummelen. Binary-fluid–solid interaction based on the Navier–Stokes–Korteweg equations. *M3AS*, page (to appear), 2019.
- [8] M. Shokrpour Roudbari, G. Şimşek, E. H. van Brummelen, and K. G. van der Zee. Diffuse-interface two-phase flow models with different densities: A new quasi-incompressible form and a linear energy-stable method. *M3AS*, 28(04):733–770, 2018/04/16 2017.
- [9] R.W. Style, R. Boltyanskiy, Y. Che, J.S. Wettlaufer, L.A. Wilen, and E.R. Dufresne. Universal deformation of soft substrates near a contact line and the direct measurement of solid surface stresses. *Phys. Rev. Lett.*, 110:066103, Feb 2013.
- [10] R.W. Style, Y. Che, S.J. Park, B.M. Weon, J.H. Je, C. Hyland, G.K. German, M.P. Power, L.A. Wilen, J.S. Wettlaufer, and E.R. Dufresne. Patterning droplets with durotaxis. *Proceedings of the National Academy of Sciences*, 110(31):12541, 07 2013.