

Local refinement for AS++ T-splines

Xin Li*, Jingjing Zhang[†]

*School of mathematical science
University of science and technology of China
Hefei, 230026 Anhui, China
e-mail: lixustc@ustc.edu.cn, web page: <http://staff.ustc.edu.cn/~lixustc>

[†] Hefei Technological University
Hefei, China

ABSTRACT

T-splines have emerged as an important technology for Computer aided geometric design and Iso-geometric analysis[1]. This talk will provide a new notion, Analysis-suitable++ (AS++) T-splines, which are a class of T-splines meet both the requirement of design and analysis. AS++ Tsplines include analysis-suitable T-splines[2,3] as a special case and meanwhile preserve all the basic mathematical properties as AS T-splines. We will show that for the local refinement algorithm, AS++ T-spline produce less propagations than those for algorithm in [1] and AS T-spline local refinement[3].

REFERENCES

- [1] T. W. Sederberg, D. L. Cardon, G. T. Finnigan, N. S. North, J. Zheng, T. Lyche, T-spline simplification and local refinement, **ACM Transactions on Graphics** 23 (3), pp276–283,(2004).
- [2] Xin Li, T.W.Sederberg, Jianmin Zheng, T. Hughes, M. A. Scott. On linear independency of Tsplines blending functions, **Computer Aided Geometric Design**, 29(1): 63-76, 2012.
- [3] M. A. Scott, Xin Li, T.W.Sederberg, T, Hughes. Local refinement of Analysis-suitable T-splines, **Computer Methods in Applied Mechanics and Engineering**, Volumes 213-216,1-3, 206-222, 2012.