

Enhanced Surface Definition in Free-Surface Flow Simulation

Marek Behr*, Atanas Stavrev†, Philipp Knechtges*, Lutz Pauli* and Stefanie Elgeti*

* Chair for Computational Analysis of Technical Systems
RWTH Aachen University, 52056 Aachen, Germany
{behr,knechtges,pauli,elgeti}@cats.rwth-aachen.de, <http://www.cats.rwth-aachen.de>

† Aachen Institute for Advanced Study in Computational Engineering Science
RWTH Aachen University, 52056 Aachen, Germany
stavrev@aices.rwth-aachen.de, <http://www.aices.rwth-aachen.de>

ABSTRACT

Moving-boundary flow simulations are an important design and analysis tool in many areas of engineering, including civil and marine engineering, as well as production engineering [1]. While interface-capturing offers unmatched flexibility for complex free-surface motion, the interface-tracking approach is very attractive due to its better mass conservation properties at low resolution. We focus on interface-tracking moving-boundary flow simulations based on stabilized discretizations of Navier-Stokes equations, space-time formulations on moving grids, and mesh update mechanisms based on elasticity.

In order to obtain accurate and smooth shape description of the free surface, as well as accurate flow approximation on coarse meshes, the approach of NURBS-enhanced finite elements (NEFEM) [2] is being applied to various aspects of free-surface flow computations. In NEFEM, certain parts of the boundary of the computational domain are represented using non-uniform rational B-splines (NURBS), therefore making it an effective technique to accurately treat curved boundaries, not only in terms of geometry representation, but also in terms of solution accuracy.

As a step in the direction of NEFEM, the benefits of a purely geometrical NURBS representation of the free-surface could already be shown [3]. The first results with a full NEFEM approach for the flow variables in the vicinity of the moving free surface have also been obtained. The applications include both production engineering, i.e., die swell in plastics processing simulation, and safety engineering, i.e., sloshing phenomena in fluid tanks subjected to external excitation.

REFERENCES

- [1] S. Elgeti, M. Probst, C. Windeck, M. Behr, W. Michaeli, and C. Hopmann, “Numerical shape optimization as an approach to extrusion die design”, *Finite Elements in Analysis and Design*, **61**, 35–43 (2012).
- [2] R. Sevilla, S. Fernandez-Mendez and A. Huerta, “NURBS-Enhanced Finite Element Method (NEFEM)”, *International Journal for Numerical Methods in Engineering*, **76**, 56–83 (2008).
- [3] S. Elgeti, H. Sauerland, L. Pauli, and M. Behr, “On the Usage of NURBS as Interface Representation in Free-Surface Flows”, *International Journal for Numerical Methods in Fluids*, **69**, 73–87 (2012).