

A VARIATIONAL-BASED MIXED FINITE ELEMENT FORMULATION FOR LIQUID CRYSTAL ELASTOMERS

Michael Groß¹, Julian Dietzsch² and Francesca Concas³

¹ TU Chemnitz, Reichenhainer Straße 70, D-09126 Chemnitz,
michael.gross@mb.tu-chemnitz.de,

² julian.dietzsch@mb.tu-chemnitz.de,

³ francesca.concas@mb.tu-chemnitz.de.

Keywords: *Anisotropy, Finite Element Method, Variational Principle, Mixed Method.*

Liquid crystal elastomers (LCEs) are soft materials, which are capable of large deformations induced by temperature changes and ultraviolet irradiation [1]. Since many years, these materials are under investigation in experimental researches as actuator materials. LCEs arise from a nematic polymer melt, consisting of long and flexible polymer chains as well as oriented and rigid rod-like molecules, the so-called mesogens, by crosslinking. In order to numerically simulate LCE materials by using the finite element method, a continuum model is necessary, including in a thermo-viscoelastic material formulation of the polymer chains the orientation effects of the mesogens. This can be performed by introducing a normalized direction vector as an independent field, and deriving from additional (orientational) balance laws independent differential equations [2]. These differential equations describe the independent rotation of the rigid mesogens connected with the flexible polymer chains. The orientation-dependent stress law of LCEs arises from an anisotropic free energy, comparable with fibre-reinforced materials. But, in contrast to fibre-reinforced materials, the direction vector of a LCE model has to be independent. In contrast to [2], we apply a variational principle for deriving a new mixed finite element formulation, which is based on drilling degrees of freedom for describing the mesogens rotation [3]. This principle leads to an extended set of balance laws.

REFERENCES

- [1] Corbett, D. and Warner, M. Changing liquid crystal elastomer ordering with light—a route to opto-mechanically responsive materials. *Liquid Crystals* (2009) **36**:1263–1280.
- [2] Anderson, D.R.; Carlson, D.E. and Fried, E. A continuum-mechanical theory for nematic elastomers. *Journal of Elasticity* (1999) **56**:33–58.
- [3] Groß, M., Dietzsch, J. and Rübiger, C. Non-isothermal energy–momentum time integrations with drilling degrees of freedom of composites with viscoelastic fiber bundles and curvature–twist stiffness continua. *Comput. Methods Appl. Mech. Engrg.* (2020), **365**:112973.